

## RM Pressfit: Publications

Year	Title	Publication type	Medium	Authors	Link
2019	Texture analysis of trabecular bone around RM-Pressfit cementless acetabulum in a series of 46 patients during a 5 year period.	Publication	Orthop Traumatol Surg Res. 2019 Aug 30. pii: S1877-0568(19)30217-8. doi: 10.1016/j.otsr.2019.06.011.	Coupry A, Rony L, Ducellier F, Hubert L, Chappard D.	<a href="#">Link</a>
2017	Does using a polyethylene RM press-fit cup modify the preparation of the acetabulum and acetabular offset in primary hip arthroplasty?	Publication	Orthop Traumatol Surg Res. 2017 Jun 1. pii: S1877-0568(17)30158-5. doi: 10.1016/j.otsr.2017.03.026. [Epub ahead of print]	Erivan R, Aubret S, Villatte G, Mulliez A, Descamps S, Boiscgard S.	<a href="#">Link</a>
2016	RM Pressfit cup: good preliminary results at 5 to 8 years follow-up for 189 patients	Publication	Hip Int 2016, DOI:10.5301/hipint.5000359	Erivan R, Eymond G, Villatte G, Mulliez A, Myriam G, Descamps S, Boiscgard S.	<a href="#">Link</a>
2016	No effect of additional screw fixation of a cementless, all-polyethylene press-fit socket on migration, wear, and clinical outcome - A 6.5-year randomized radiostereometric analysis follow-up report	Publication	Acta Orthopaedica 2016; 87: Issue 4	Minten M, Heesterbeek P, Spruit M	<a href="#">Link</a>
2014	Cementless RM Pressfit Cup. A clinical and radiological study of 91 cases with at least four years follow-up	Publication	Orthopaedics & Traumatology: Surgery & Research, Volume 100, Issue 4, Supplement, June 2014, Pages S225–S229	Lafon L, Moubarak J, Druon J, Rosset P	<a href="#">Link</a>
2013	Five-year Results of the Uncemented RM Pressfit Cup Clinical Evaluation and Migration Measurements by EBRA	Publication	The Journal of Arthroplasty 28 (2013) 1291–1296	Wyss T, Kägi P, Mayrhofer P, Nötzli H, Pfluger D, Knahr K	<a href="#">Link</a>
2012	A cementless, elastic press-fit socket with and without screws. A 2-year randomized controlled radiostereometric analysis of 37 hips	Publication	Acta Orthop. 2012; 83(5): 481-487	Pakvis D, Luites J, van Hellemond G, Spruit M	<a href="#">Link</a>

## RM Pressfit: Congress Presentations, Congress Posters and other References

Year	Title	Publication type	Medium	Authors
2019	Modulare versus Monoblockpfannen - eine 10-Jahres-Auswertung	Congress presentation	DKOU, 22.-25.10.2019, Berlin, Germany	Liese T, Mai S, Müller D, Siebert W
2019	10 year follow-up on RM Pressfit	Congress presentation	NZOA, 29.09.-02.10.2019, Dunedin, New Zealand	Ramage D, Hooper G.
2017	Revision Rate due to Dislocation in Relation to Head Size	Congress poster	ISAR, 20.-22.05.2017, San Francisco	Münger P, Bettführ J, Staub L, Aghayev E
2017	What is the Value of Registry Data for the Introduction of New Products	Podium Presentation	ISAR, 20.-22.05.2017, San Francisco	Bettführ J, Münger P, Frampton C.
2016	The anatomical restored femoroacetabular offset does not correlate with clinical results of a short-stem in combination with a monoblock pressfit cup for THA	Congress presentation	EFORT, 01.-03.06.2016, Geneva, Switzerland	Camenzind R, Schär M, Antoniadis A, Helmy N
2015	Klinische und radiologische Ergebnisse einer «isoelastischen» Pfanne	Presenation at Congress Lunch Symposium	DKOU. 20.-23.10.2015, Berlin, Germany	Beck, M
2015	Cup Orientation Determined With Statistical Shape Modeling Does Not Differ Between The Less-Invasive Anterior And Transgluteal Approach	Free Paper	EFORT, 27.-29.05.2015, Prague	Zurmühle C, Steppacher S, Zhen G, Tannast M
2015	Migration, wear and clinical outcome of titanium-coated all polyethylene cups with and without screw fixation: a 6.5-year radiostereometric analysis randomised controlled study	Congress presentation	RSA Meeting Bologna, 13.-15.05.2015, Bologna, Italy	Heesterbeek P, Minten M, Spruit M

2015	Outcome of the cementless Robert Mathys pressfit cup in revision total hip arthroplasty	Congress poster	EFORT, 27.-29.05.2015, Prague	Baines J, Alho R
2015	Clinical and radiological outcomes of a titanium coated polyethylene monoblock pressfit cup	Congress Poster	EFORT, 27.-29.05.2015, Prague	Sargeant H, Hooper G, Hooper N
2015	Migration, wear and clinical outcome of titanium-coated all-polyethylene cups with and without screw fixation	Congress poster	ICJR, 16.-18.04.2015, Paris	Heesterbeek P, Minten M, Spruit M
2015	Outcomes of the cementless Robert Mathys Pressfit cup in revision total hip arthroplasty	Congress poster	BHS, 02.-03.03.2015, London, UK	Alho RJR, Baines J
2010	Radio stereometric migration analysis of an elastic socket	Congress presentation	NOV. 21.-22.01.2010, Utrecht, Netherlands	Pakvis D, Luites J, van Hellemond G, de Visser E, Spruit M
2010	Acetabular stress shielding - a finite element analysis of a cemented, a cementless rigid and a cementless elastic socket	Congress poster	DKOU. 26.-29.10.2010, Berlin, Germany	Pakvis D, Janssen D, Verdonschot N
2009	The RM-cup: 20 years of follow-up - what is new? Le cotyle RM: 20 ans de recul, quoi de neuf?	Congress publication	Charnley évolution. 03.-05.12.2009, Paris, France	Delfosse D, Münger P
2009	Stabilité à court terme d'un implant acétabulaire impacté en polyéthylène revêtu de titane	Congress presentation	SOFCOT. 09.-13.11.2009, Paris, France	El Yazidi A, De Lestang M, Khelifi H, Lardanchet J, Havet, E, Mertl P
2008	Coating of the RM cup in Hip-Joint Surgery	Book chapter	The RM Cup - Long-term experience with an elastic Monobloc acetabular implant	Gasser B.

2008	RM Pressfit- innovation based on clinical history	Book chapter	Hip-Joint Surgery. The RM Cup - Long-term experience with an elastic Monobloc acetabular implant	Delfosse D.
2007	A prospective follow-up study of the RM Pressfit acetabular cup in total hip arthroplasty: interim results	Data on file	White paper Mathys Ltd Bettlach	Kägi P, Siebert W